

Lloyd

A soft, tactile plastic seat shell in an array of colours combined with numerous base options in metal or wood make for a high quality, stylish cafe and breakout chair range.

Rigid polyurethane foam shell, fire retardant to CRIB 5.

Painted or polished chrome legs or wood legs.





SHELL COLOURS



When ordering please specify by replacing 'xx' with colour code.
Custom colours available, P.O.A. (m.o.q. applies)

UPHOLSTERY OPTIONS

Any variation of the Lloyd family can have a fully upholstered seat shell.



Fully Upholstered

Add to Product Code

+FUP



				
	Four Leg	Four Leg with Arms	Four Leg Stool 1	Four Leg Stool 2
Product Code	LLO-4L-xx	LLO-4L-A-xx	LLO-4L-ST1-xx	LLO-4L-ST2-xx
Dimensions	H800 x W510 x D540 x SH440mm	H800 x W580 x D540 x SH440mm	H940 x W410 x D540 x SH650mm	H1090 x W410 x D540 x SH800mm
				
	Wire Leg	Wire Leg Stool 1	Wire Leg Stool 2	
Product Code	LLO-WL-xx	LLO-WL-ST1-xx	LLO-WL-ST2-xx	
Dimensions	H800 x W480 x D540 x SH440mm	H960 x W500 x D530 x SH650mm	H1100 x W500 x D530 x SH800mm	
				
	Wood Leg	Wood Leg Stool 1	Wood Leg Stool 2	
Product Code	Natural: LLO-W-xx-N Walnut: LLO-W-xx-W Black: LLO-W-xx-B White: LLO-W-xx-WH	Natural: LLO-W-ST1-xx-N Walnut: LLO-W-ST1-xx-W Black: LLO-W-ST1-xx-B White: LLO-W-ST1-xx-WH	Natural: LLO-W-ST2-xx-N Walnut: LLO-W-ST2-xx-W Black: LLO-W-ST2-xx-B White: LLO-W-ST2-xx-WH	
Dimensions	H820 x W430 x D540 x SH460mm	H980 x W510 x D510 x SH650mm	H1110 x W550 x D530 x SH800mm	

LINKING

Linking device available for 4 Leg chair.

Stacking:
4-Leg chair stacks up to 7no. High

METAL FINISH

Polished chrome finish as standard on **4 Leg & Wire.**

Powder Coated in standard sixteen3 metal colours

Custom RAL colours P.O.A.

WOOD FINISH


Solid beech finished in natural, walnut stain, black or white.

PRODUCT MATERIAL BREAKDOWN

Material Breakdown Data based on **Lloyd** Wood Leg Chair LLO-W-FUP fully upholstered in Camira Oceanic.

Figures stated will vary depending on model purchased and specification changes.

Recycled data based on supplier information and industry averages. As part of our continuous development processes we will review this information regularly and data may change without notice.



46%	RIGID POLYURETHANE
43%	WOOD
7%	FABRIC
3%	POLYURETHANE FOAM
1%	ZINC PLATED MILD STEEL
<1%	LDPE

TOTAL WEIGHT: 6.7kg

SUSTAINABILITY

7%	RECYCLED CONTENT
98%	RECYCLABLE



Certificate Number 14506



Full Membership Certificate No. 173

PRODUCT MATERIAL BREAKDOWN

Material Breakdown Data based on **Lloyd** Wire Leg, Stool 2 LLO-WL-ST2

Figures stated will vary depending on model purchased and specification changes.

Recycled data based on supplier information and industry averages. As part of our continuous development processes we will review this information regularly and data may change without notice.



68%	MILD STEEL
14%	RIGID POLYURETHANE
<1%	ZINC PLATED MILD STEEL
<1%	LDPE

TOTAL WEIGHT: 7.7kg

SUSTAINABILITY

38%	RECYCLED CONTENT
98%	RECYCLABLE

This product has been designed using high quality materials and craftsmanship to ensure it's longevity, however at the end of this products life it can be returned to **sixteen3** for refurbishment or recycling.

Warranty Information

5 YEAR – NORMAL FAIR WEAR & TEAR

This includes the structure and any foam/padding materials.
Fabrics are covered by fabric manufacturers' warranties, usually 5 years, dependant on fabric choice.

Please refer to full **sixteen3** Warranty information document for more details.
sixteen3 ltd reserve the right to update product data information without prior notice.

Standards

FLAMABILITY

The foams & fillings of this product meet BS EN 5852: Part 2, in accordance with The Furniture and Furnishings (Fire) (Safety) Regulations 1988.

CONSTRUCTION

Designed to meet & exceed BS EN 16139: 2013 – Strength, Durability and Safety Requirements for non-domestic seating.

Cleaning & Maintenance

GENERAL MAINTENANCE

- Vacuum upholstery regularly to remove dust and grit.
- Most hard surfaces can be cleaned with a soft cloth, dampened with a small amount of water and buffed dry.
- Clean spills and stains quickly to prevent them setting in (see specific fabric care instructions below).
- If being used in a spill/stain prone area specify an appropriate finish with stain-repellent properties.
- Bases should be checked and tightened periodically to reduce wear.

Refer to fabric manufacturers own guidelines for specific information.

NATURAL FABRICS

In addition to regular vacuuming, wool and other natura fibres can usually be cleaned using appropriate upholstery shampoo. For a deeper clean it is best that wool be dry cleaned, as over-wetting can cause shrinkage and appearance change. Never apply bleach, ammonia, alkali or strong acids to wool upholstery.

SYNTHETIC FABRICS

Vacuuming is the best regular maintenance followed by speed of action to remove spills and stains rapidly as soon as they occur. Most synthetic fabrics can be wiped down with a water soaked damp cloth without fear of damaging fibre or removing colour. Stubborn stains can be removed with a quality upholstery shampoo.

LEATHER

Leather should be regularly dusted with a soft cloth and vacuumed with a soft brush extension. Most types of aniline can also be treated with specialist products to help preserve colour/finish etc. As leather is a natural material, discrepancies in surface texture and 'puddling' in seat areas is to be expected.

WOOD FINISHES

Clean surfaces regularly with a slightly damp cloth and buff dry with a soft duster. The finish on all wood and laminate surfaces is designed to withstand moderate heat and some spillages, but all spillages should be wiped off with a damp cloth straight away. Do not drag any objects across any table tops. Certain wood finishes will naturally change in appearance with age. We cannot guarantee an exact match of any timber products.

POLISHED METAL

Clean surfaces regularly with a soft cloth. A high quality chrome cleaner can be used to protect against tarnish and maintain the reflective finish.



CONTACT

+44 1925 850 500
info@sixteen3.co.uk
@sixteen3_ltd

HQ:
Unit 2, Westway21
Chesford Grange
Woolston, Warrington
Cheshire
WA1 4SZ

London:
25 Bastwick St
Clerkenwell
London
EC1V 3PS

Manchester:
Material Source Studio
1 Federation St
NOMA
Manchester
M4 4BF

sixteen3.co.uk