

# Monsal



#### **UPHOLSTERY STYLES**





# 75mm Wide Quilted Channels Please note: for quilted

finishes M.O.Q.s apply

#### **CUSTOM SIZING**

Benches can be modified to any width, up to 600 mm wide or 1200 mm wide. Choose the closest size that exceeds your requirements out of the width options above.

A one-off charge applies per size modification.

For custom width Wall Panels there is no addition charge.


For examples of pricing see next page.

#### LINKING

Plain

Linking mechanisms will only be fitted to the units subject to layout plans being provided. Alternatively, mechanisms will be free-issued.





# Straight Run




To create a bench running the length of a 3450mm wall the following split can be created:

COST BREAKDOWN

3no. 1150mm Benches: 3x MON-120-B + 1x Customisation charge


# **Booth Layout**



To create custom-sized booth setups between stud-wall partitions or in alcoves:

COST BREAKDOWN

4no. 900mm Benches: 4x MON-120-B + 1x Customisation charge







Monsal Monsal

## SHORT LEG OPTIONS

OR

#### WOOD LEG FINISH





Oak

STANDARD WOOD COLOURS:



Graphite Grey

RAL 7024

Ruby Red

RAL 3003



Moss Green

RAL 6005



Reseda Green

RAL 6011





Pigeon Blue RAL 5014 Sapphire Blue RAL 5003

Beige Red

RAL 3012

Custom RAL colour.

#### BLACK PLINTH



50mm HEIGHT

### **CASTORS**



Castors Black

## POWER



Porthole power modules can be incorporated into seat fronts on request.

### TALL LEG OPTIONS

### METAL LEG FINISH

#### STANDARD POWDER COAT COLOURS:







Beige Red RAL 3012





Broom Yellow

Blue Grey







Grey Beige RAL 1019

Light Grey RAL 7035



RAL 7034























Signal White RAL 9003





Pebble Grey RAL 7032

On small orders a minimum charge may apply.

#### BLACK PLINTH



150mm HEIGHT

### POWER





Phase power modules can be incorporated under seat fronts or Porthole modules can be

# Monsal


#### PRODUCT MATERIAL BREAKDOWN

Material Breakdown Data based on the **Monsal** 1200mm Bench with Back MON-120-B upholstered in Camira Oceanic.

Figures stated will vary depending on model purchased and specification changes.

Recycled data based on supplier information and industry averages. As part of our continuous development processes we will review this information regularly and data may change without notice.





34%	MDF
28%	AGRICULTURAL FIBRE BOARD
14%	POLYURETHANE FOAM
11%	PLYWOOD
8%	FABRIC
3%	RECON FOAM
1.5%	ZINC PLATED MILD STEEL
<1%	WOOD

TOTAL WEIGHT: 37.5kg



#### KG CO2

\*calculations are based on average emission factors validated by third-party open data sources based or cradle-to-gate phases of typical product lifecycle.

#### SUSTAINABILITY

39%	RECYCLED CONTENT
98%	RECYCLABLE

This product has been designed using high quality materials and craftsmanship to ensure it's longevity, however at the end of this products life it can be returned to **sixteen3** for refurbishment or recycling.

.For FSC® Chain of Custody specify when ordering.





Certificate

Number



Full Membership Certificate No. 173

# Warranty Information

#### 5 YEAR - NORMAL FAIR WEAR & TEAR

This includes the structure and any foam/padding materials.

Fabrics are covered by fabric manufacturers' warranties, usually 5 years, dependant on fabric choice.

Please refer to full sixteen3 Warranty information document for more details.

sixteen3 ltd reserve the right to update product data information without prior notice.

## Standards

#### FLAMABILITY

The foams & fillings of this product meet BS EN 5852: Part 2, in accordance with The Furniture and Furnishings (Fire) (Safety) Regulations 1988.

#### CONSTRUCTION

Designed to meet & exceed BS EN 16139: 2013 - Strength, Durability and Safety Requirements for non-domestic seating.

# Cleaning & Maintenance

#### GENERAL MAINTENANCE

- · Vacuum upholstery regularly to remove dust and grit.
- · Most hard surfaces can be cleaned with a soft cloth, dampened with a small amount of water and buffed dry.
- · Clean spills and stains quickly to prevent them setting in (see specific fabric care instructions below).
- If being used in a spill/stain prone area specify an appropriate finish with stain-repellent properties.

Refer to fabric manufacturers own guidelines for specific information.

#### NATURAL FABRICS

In addition to regular vacuuming, wool and other natura fibres can usually be cleaned using appropriate upholstery shampoo. For a deeper clean it is best that wool be dry cleaned, as over-wetting can cause shrinkage and appearance change. Never apply bleach, ammonia, alkali or strong acids to wool upholstery.

#### SYNTHETIC FABRICS

Vacuuming is the best regular maintenance followed by speed of action to remove spills and stains rapidly as soon as they occur. Most synthetic fabrics can be wiped down with a water soaked damp cloth without fear of damaging fibre or removing colour. Stubborn stains can be removed with a quality upholstery shampoo.

#### LEATHER

Leather should be regularly dusted with a soft cloth and vacuumed with a soft brush extension.

Most types of aniline can also be treated with specialist products to help preserve colour/finish etc.

As leather is a natural material, discrepancies in surface texture and 'puddling' in seat areas is to be expected.

#### POWDER COATED & PAINTED

Clean surfaces regularly with a slightly damp cloth and a mild solution of soapy water. Buff dry with a soft duster.





### CONTACT

+44 1925 850 500 info@sixteen3.co.uk @sixteen3\_ltd

HQ: Unit 2, Westway21 Chesford Grange Woolston, Warrington Cheshire WA1 4SZ

London: 25 Bastwick St Clerkenwell London EC1V 3PS

Manchester: Material Source Studio 1 Federation St NOMA Manchester M4 4BF