

Camino

Inspired by the pulse of the campo, Camino follows the cadences of people and places. Its forms are building blocks for environments where people naturally converge – inviting you to gather, pause, work, eat, meet, or simply pass through. Balancing lounge comfort with work poise, Camino adapts easily across diverse uses. Functionally supportive, not prescriptive.

The modularity – anchored in a rational system of concentric forms – enables elegant problem-solving and creative landscapes that make space work harder. As ambitions shift over time, Camino shifts with them: expanding, contracting, and reshaping to suit new rhythms and uses, from congregation spaces to F&B hubs to touchdown working.

Made by hand in Britain, from the ground up, Camino's FSC® timber frame is paired with carefully balanced layers of foam with recon and recycled content, crafted to deliver the same quality of comfort and design intent, from work to rest, dining to play.





						
Product Code	Straight 375mm No Back CAM-ST-O-375-NB	Straight 375mm With Back CAM-ST-O-375-WB	Straight 750mm No Back CAM-ST-O-750-NB	Straight 750mm With Back CAM-ST-O-750-WB	Square Corner No Back CAM-CO-90-CNR-NB	Square Corner With Back CAM-CO-90-CNR-WB
Dimensions	W375 x D750 x H475mm	W375 x D750 x H760 x SH475mm	W750 x D750 x H475mm	W750 x D750 x H760 x SH475mm	W750 x D750 x H475mm Angle: 90°	W750 x D750 x H760 x SH475mm Angle: 90°

						
Product Code	D-Shape End CAM-EN-O-375-NB	Curve A No Back CAM-CU-90-A-NB	Curve A With Back CAM-CU-90-A-WB	Curve B No Back CAM-CU-45-B-NB	Curve B Concave Back CAM-CU-45-B-CC	Curve B Convex Back CAM-CU-45-B-CV
Dimensions	W375 x D750 x H475mm	W750 x D750 x H475mm Angle: 90°	W750 x D750 x H760 x SH475mm Angle: 90°	W1145 x D805 x H475mm Angle: 45° Internal Ø1500mm	W1145 x D805 x H760 x SH475mm Angle: 45° Internal Ø1500mm	W1145 x D805 x H760 x SH475mm Angle: 45° Internal Ø1500mm

						
Product Code	Curve C No Back CAM-CU-22-C-NB	Curve C Concave Back CAM-CU-22-C-CC	Curve C Convex Back CAM-CU-22-C-CV	Curve Z No Back CAM-CU-45-Z-NB	Curve Z Concave Back CAM-CU-45-Z-CC	Curve Z Convex Back CAM-CU-45-Z-CV
Dimensions	W876 x D780 x H475mm Angle: 22.5° Internal Ø3000mm	W876 x D780 x H760 x SH475mm Angle: 22.5° Internal Ø3000mm	W876 x D780 x H760 x SH475mm Angle: 22.5° Internal Ø3000mm	W855 x D775 x H475mm Angle: 45° Internal Ø750mm	W855 x D775 x H760 x SH475mm Angle: 45° Internal Ø750mm	W855 x D775 x H760 x SH475mm Angle: 45° Internal Ø750mm

						
Product Code	Curve Y No Back CAM-CU-22-Y-NB	Curve Y Concave Back CAM-CU-22-Y-CC	Curve Y Convex Back CAM-CU-22-Y-CV	Curve X No Back CAM-CU-22-X-NB	Curve X Concave Back CAM-CU-22-X-CC	Curve X Convex Back CAM-CU-22-X-CV
Dimensions	W730 x D770 x H475mm Angle: 22.5° Internal Ø2250mm	W730 x D770 x H760 x SH475mm Angle: 22.5° Internal Ø2250mm	W730 x D770 x H760 x SH475mm Angle: 22.5° Internal Ø2250mm	W1020 x D785 x H475mm Angle: 22.5° Internal Ø3750mm	W1020 x D785 x H760 x SH475mm Angle: 22.5° Internal Ø3750mm	W1020 x D785 x H760 x SH475mm Angle: 22.5° Internal Ø3750mm

CUSTOMISED WIDTHS:

Straight seats can be customised to any width up to 1000mm to ensure an accurate fit against walls or alcoves, using one, simple pricing system. Refer to Price List for details.



Specifying Camino – Curved Modules




Camino curves are designed around concentric circles, allowing curves to nest neatly together. Each curved module is labelled with letters (A, B, C, X, Y, Z) relating to footprint diameter. Combining these letters helps you pick the right curvature for your floorplan. Using multiples of the same letter, you can form arcs – up to full circles – in six different diameters.



Adjacent alphabetical letters eg. B&C or X&Y, will nest together, ideal for curving back to back seating layouts.

Skipping a letter (eg. A&C or X&Z) leaves a 750mm void. Perfect for face to face seating with Options tables or back to back layouts with eden planters.

Once the layout is finalised, decide which pieces are No Back/Concave Back/Convex Back, and your Camino is ready to order.



POWER



Power modules can be integrated into the front of Straight seat units.

LINKING



Crocodile Connector Clips allow for units to be disconnected & rearranged. Linking mechanisms will only be fitted to the units subject to layout plans being provided. Alternatively, mechanisms will be free-issued.

PRODUCT MATERIAL BREAKDOWN

Material Breakdown Data based on **Camino** 750mm Straight with Back CAM-ST-O-750-WB upholstered in Camira Oceanic.

Figures stated will vary depending on model purchased and specification changes.

Recycled data based on supplier information and industry averages. As part of our continuous development processes we will review this information regularly and data may change without notice.



43%	PLYWOOD
15%	PU FOAM WITH RECYCLED POLYOLS
13%	RECONSTITUTED FOAM
11%	FABRIC
9%	SOFTWOOD
4%	STEEL
4%	FIBREBOARD
2%	POLYESTER FIBRE
<1%	LDPE

TOTAL WEIGHT: 24.1kg

73.76	KG CO2e *calculations are based on average emission factors validated by third-party open data sources based on cradle-to-gate phases of typical product lifecycle.
-------	---

SUSTAINABILITY

30%	RECYCLED CONTENT
98%	RECYCLABLE

This product has been designed using high quality materials and craftsmanship to ensure it's longevity, however at the end of this products life it can be returned to **sixteen3** for refurbishment or recycling.

For FSC® Chain of Custody specify when ordering.



Warranty Information

5 YEAR - NORMAL FAIR WEAR & TEAR

This includes the structure and any foam/padding materials. Fabrics are covered by fabric manufacturers' warranties, usually 5 years, dependant on fabric choice.

Please refer to full **sixteen3** Warranty information document for more details. **sixteen3** ltd reserve the right to update product data information without prior notice.

Standards

FLAMMABILITY

The foams & fillings of this product meet BS EN 5852: Part 2, in accordance with The Furniture and Furnishings (Fire) (Safety) Regulations 1988.

CONSTRUCTION

Designed to meet & exceed BS EN 16139: 2013 - Strength, Durability and Safety Requirements for non-domestic seating.

Cleaning & Maintenance

GENERAL MAINTENANCE

- Vacuum upholstery regularly to remove dust and grit.
- Most hard surfaces can be cleaned with a soft cloth, dampened with a small amount of water and buffed dry.
- Clean spills and stains quickly to prevent them setting in (see specific fabric care instructions below).
- If being used in a spill/stain prone area specify an appropriate finish with stain-repellent properties.

Refer to fabric manufacturers own guidelines for specific information.

NATURAL FABRICS

In addition to regular vacuuming, wool and other natura fibres can usually be cleaned using appropriate upholstery shampoo. For a deeper clean it is best that wool be dry cleaned, as over-wetting can cause shrinkage and appearance change. Never apply bleach, ammonia, alkali or strong acids to wool upholstery.

SYNTHETIC FABRICS

Vacuuming is the best regular maintenance followed by speed of action to remove spills and stains rapidly as soon as they occur. Most synthetic fabrics can be wiped down with a water soaked damp cloth without fear of damaging fibre or removing colour. Stubborn stains can be removed with a quality upholstery shampoo.

LEATHER

Leather should be regularly dusted with a soft cloth and vacuumed with a soft brush extension. Most types of aniline can also be treated with specialist products to help preserve colour/finish etc. As leather is a natural material, discrepancies in surface texture and 'puddling' in seat areas is to be expected.



CONTACT

+44 1925 850 500
info@sixteen3.co.uk
@sixteen3_ltd

HQ:
Unit 2, Westway21
Chesford Grange
Woolston, Warrington
Cheshire
WA1 4SZ

London:
25 Bastwick St
Clerkenwell
London
EC1V 3PS

Manchester:
Material Source Studio
1 Federation St
NOMA
Manchester
M4 4BF

Glasgow:
Material Source Studio
180 West George St
Glasgow
G2 2NR

sixteen3.co.uk